**Part Number:** **62203-0000**

**Status:** **Active**

**Description:** Appli-Mate Rast 2.5 Power Manual Terminator

**Documents:**
RoHS Certificate of Compliance (PDF)

## General

| | |
|---|---|
| Product Family | Application Tooling |
| Series | T1324 |
| Comments | See Tooling Specification (PDF) Above |
| Function | Crimp |
| Geographic Area | Global |
| Level of Automation | Semi-Automatic |
| More Detailed Tech Information | applicationtooling@molex.com |
| Product Name | N/A |
| Survey | www.molex.com//review/apptool_survey.html |
| Tool Type | Terminator |
| UPC | 800756917085 |

## Material Info

## Reference - Drawing Numbers

| | |
|---|---|
| Application Tooling Documents | TM-622030000 |

*Series*
*image - Reference only*

**EU RoHS**          **China RoHS**
**Compliance Status**
**Not Reviewed**
**REACH SVHC**
**Not Reviewed**
**Low-Halogen Status**
**Not Reviewed**

**Need more information on product environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, click here

Please visit the Contact Us section for any non-product compliance questions.

**Search Parts in this Series**
T1324Series

| Application Tooling Description | FAQ Product # |
|---|---|
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 2 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916270001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 3 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916271001 |
| 5.00mm Pitch Appli-Mate RAST 5 IDT Housing, Direct/Indirect, Female, | 0916271501 |

| | |
|---|---|
| 3 Circuits, Glow Wire Compatible, Removed Coding Keys None, End Wall Open | |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 4 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916272001 |
| 5.00mm Pitch Appli-Mate RAST 5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Glow Wire Compatible, Removed Coding Keys None, End Wall Open | 0916272501 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 5 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916273001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 6 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916274001 |
| 5.00mm Pitch Appli-Mate RAST 5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Glow Wire Compatible, Removed Coding Keys None, End Wall Open | 0916274501 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 7 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916275001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 8 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916276001 |
| 5.00mm Pitch Appli-Mate® RAST Power | 0916277001 |

| | |
|---|---|
| IDT Housing, Direct/Indirect, Female, 9 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 10 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916278001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 11 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916279001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, Direct/Indirect, Female, 12 Circuits, Glow Wire Compatible, Fully Coded, Open End Walls | 0916279501 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 2 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917910001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 3 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917911001 |
| 5.00mm Appli-Mate RAST 5 IDT Housing, 10 Amp, Indirect, Female, 3 Circuits, No Coding Keys Removed, Open End Walls, Polarizing Rib Between Circuits 1 and 2, Glow Wire Compatible | 0917911004 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 4 Circuits, Fully Coded, Open | 0917912001 |

| | |
|---|---|
| End Walls, No Polarizing Rib, Glow Wire Compatible | |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 6 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917914001 |
| 5.00mm Pitch Appli-Mate RAST 5 IDT Housing, Direct/Indirect, Female, 9 Circuits, Glow Wire Compatible, Removed Coding Keys None, End Wall Open, Polarizing Rib 2 &3 | 0916277003 |
| 5.00mm Pitch Appli-Mate RAST 5 IDT Housing, Direct/Indirect, Female, 9 Circuits, Glow Wire Compatible, Removed Coding Keys None, End Wall A Option | 0916277502 |
| 5.00mm Pitch Appli-Mate RAST 5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Glow Wire Compatible, Removed Coding Keys None, End Wall Open | 0916270501 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 5 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917913001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 7 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917915001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 8 Circuits, Fully Coded, Open End Walls, No | 0917916001 |

| | |
|---|---|
| Polarizing Rib, Glow Wire Compatible | |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 9 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917917001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 10 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917918001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 11 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917919001 |
| 5.00mm Pitch Appli-Mate® RAST Power IDT Housing, 10 Amp, Indirect, Female, 12 Circuits, Fully Coded, Open End Walls, No Polarizing Rib, Glow Wire Compatible | 0917919501 |