




| REVISIONS | | | | |
|-----------|---------------------------|----------|-------------|---------|
| REV | DATE | APPROVED | DESCRIPTION | BY |
| E | REV PER AD-5084 | | | |
| F | REV PER 0610-0931-93 | 9-13 | | RAC/JJA |
| G | REV PER 0610-0375-74 | 3-10-74 | | |
| H | REV PER 0310-0146-96 | 2-27-97 | | EB/SAS |
| H1 | REVISED PER ECO-09-026346 | NOV09 | | AEG |




① WILL ALSO MATE W/OTHER CONNECTORS WHICH ARE COMPATIBLE WITH THE .150 END DIM.
 WILL MATE W/MOD IV HAVING FOUR EXTRA EMPTY CIRCUITS (TWO EACH END -- EX: 20 POS. POST HDR. WILL MATE W/24 POS. MOD IV HSG.)



△ OBSOLETE PART NUMBER

| POS. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | NO. OF POS. | PART NO. |
|------------|-------|-------|------|-------|-------|-------|-------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-------------|-----------|
| △ OBSOLETE | .700 | — | .190 | 1.204 | 1.004 | .600 | .300 | 3 | 8 | 2 | △ | | | | | | | | | | | | | | | | | | | | | 2-87605-6 |
| | 3.300 | 2.890 | .190 | 3.804 | 3.604 | 3.200 | 2.900 | 29 | 60 | 2 | △ | | | | | | | | | | | | | | | | | | | | | -5 |
| | 3.200 | 2.790 | | 3.704 | 3.504 | 3.100 | 2.800 | 28 | 58 | 2 | △ | | | | | | | | | | | | | | | | | | | | | -4 |
| | 3.100 | 2.690 | | 3.604 | 3.404 | 3.000 | 2.700 | 27 | 56 | 2 | △ | | | | | | | | | | | | | | | | | | | | | -3 |
| | 3.000 | 2.590 | | 3.504 | 3.304 | 2.900 | 2.600 | 26 | 54 | 2 | △ | | | | | | | | | | | | | | | | | | | | | -2 |
| | 2.900 | 2.490 | | 3.404 | 3.204 | 2.800 | 2.500 | 25 | 52 | 2 | △ | | | | | | | | | | | | | | | | | | | | | -1 |
| | 2.800 | 2.390 | | 3.304 | 3.104 | 2.700 | 2.400 | 24 | 50 | 2 | △ | | | | | | | | | | | | | | | | | | | | | 0 |
| | 2.700 | 2.290 | | 3.204 | 3.004 | 2.600 | 2.300 | 23 | 48 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -9 |
| | 2.600 | 2.190 | | 3.104 | 2.904 | 2.500 | 2.200 | 22 | 46 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -8 |
| | 2.500 | 2.090 | | 3.004 | 2.804 | 2.400 | 2.100 | 21 | 44 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -7 |
| | 2.400 | 1.990 | | 2.904 | 2.704 | 2.300 | 2.000 | 20 | 42 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -6 |
| | 2.300 | 1.890 | | 2.804 | 2.604 | 2.200 | 1.900 | 19 | 40 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -5 |
| | 2.200 | 1.790 | | 2.704 | 2.504 | 2.100 | 1.800 | 18 | 38 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -4 |
| | 2.100 | 1.690 | | 2.604 | 2.404 | 2.000 | 1.700 | 17 | 36 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -3 |
| | 2.000 | 1.590 | | 2.504 | 2.304 | 1.900 | 1.600 | 16 | 34 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -2 |
| △ OBSOLETE | 1.900 | 1.490 | | 2.404 | 2.204 | 1.800 | 1.500 | 15 | 32 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | 1.800 | 1.390 | | 2.304 | 2.104 | 1.700 | 1.400 | 14 | 30 | | | | | | | | | | | | | | | | | | | | | | | 0 |
| | 1.700 | 1.290 | | 2.204 | 2.004 | 1.600 | 1.300 | 13 | 28 | 1 | △ | | | | | | | | | | | | | | | | | | | | | -9 |
| | 1.600 | 1.190 | | 2.104 | 1.904 | 1.500 | 1.200 | 12 | 26 | | | | | | | | | | | | | | | | | | | | | | | -8 |
| | 1.500 | 1.090 | | 2.004 | 1.804 | 1.400 | 1.100 | 11 | 24 | | | | | | | | | | | | | | | | | | | | | | | -7 |
| | 1.400 | .990 | | 1.904 | 1.704 | 1.300 | 1.000 | 10 | 22 | | △ | | | | | | | | | | | | | | | | | | | | | -6 |
| | 1.300 | .890 | .190 | 1.804 | 1.604 | 1.200 | .900 | 9 | 20 | | | | | | | | | | | | | | | | | | | | | | | -5 |
| | 1.200 | — | .490 | 1.704 | 1.504 | 1.100 | .800 | 8 | 18 | | △ | | | | | | | | | | | | | | | | | | | | | -4 |
| | 1.100 | — | .390 | 1.604 | 1.404 | 1.000 | .700 | 7 | 16 | | △ | | | | | | | | | | | | | | | | | | | | | -3 |
| | 1.000 | — | .290 | 1.504 | 1.304 | .900 | .600 | 6 | 14 | | △ | | | | | | | | | | | | | | | | | | | | | -2 |
| | .900 | — | .190 | 1.404 | 1.204 | .800 | .500 | 5 | 12 | | △ | | | | | | | | | | | | | | | | | | | | | 1 |
| | .800 | — | .090 | 1.304 | 1.104 | .700 | .400 | 4 | 10 | | | | | | | | | | | | | | | | | | | | | | | 87605-1 |



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
 TOLERANCES ON:
 DECIMALS ±.005
 ANGLES ±

CONTRACT NO. DR 9/18/75
 CHG. DIM WITH 9-18-75
 APPD. Bennett 9-22-75
 APPD. R. Clark 9-22-75
 DSGN APPD.
 OTHER APPD.

MATERIAL HSG'S. - GLASS FILLED NYLON COLOR: BLACK
 CONTACT - PHOS BRONZE
 FINISH CONTACT - .000030 GOLD OVER .000050 NICKEL

AMP INCORPORATED Harrisburg, Pa.
 NAME: HEADER ASS'Y. MOD II
 .100 X .100 CENTERS MTG. EARS W/PIN PROTECTORS BOTH SIDES (MATES W/ AMP LATCH AND/OR FCC) ①
 SIZE: 100 X 100
 DRAWING NO: 87605
 SHEET 1 of 1

RECOMMENDED PANEL CUT-OUT